

Work Order ID 155242

Thursday, January 12, 2017 11:26:05 AM

155242

Page 1

Item ID: D3574-1

Accept

N900040100Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: Cabin Floor Protector

Start Date: 1/16/2017 Start Qty: 1.00 ***1***

Cust Item ID:

Required Date: 1/23/2017 Req'd Qty: 1.00 ***1***

Customer:

Reference:

Approvals: Process Plan:

DAS
21
9-89

Date: JAN 12 2017

Tooling:

Date:

Run Start ***NR1***

QC:

Date:

SPC (Y/N):

Date:

Stop ***NR2***Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool #

Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

Draw Nbr

Revision Nbr

D3574

Rev B

100

0.00

100

FLOW WATER JET

Waterjet

Memo

0.09

FLOW CNC Waterjet

1-Cut as per Dwg D3574

Dwg Rev: BProg Rev: B

2- Deburr

DAS
46
9-89

17/01/17

1

110

0.00

110

QC2- Inspect parts off machine FAI/FAIB

QC

Memo

0.00

Quality Control

DAS
46
9-89

17/01/17

1

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval Completed By _____ Lead hand / Supervisor Approval Verification _____ QC / QA Coordinator Approval _____	
Description Work Order Deviation		Disposition			
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
		OTHER : _____			

Work Order ID 155242

Thursday, January 12, 2017 11:26:05 AM

155242

Page 2

Item ID: D3574-1

Accept

N900040100Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: Cabin Floor Protector

Start Date: 1/16/2017 Start Qty: 1.00 ***1***

Cust Item ID:

Required Date: 1/23/2017 Req'd Qty: 1.00 ***1***

Customer:

Reference:

Approvals:

Process Plan: _____

Date: _____

Tooling: _____

Date: _____

Run Start ***NR1***

QC: _____

Date: _____

SPC (Y/N): _____

Date: _____

Stop ***NR2***Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool #

Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

120

QC8- Inspect parts - second check

0.00

120

QC

Memo

0.00

Quality Control

DAS
38
9-89

JAN 19 2017

130

Small Fab

0.00

130

Small Fab

Memo

Deburr if necessary.

0.00

Small Fab

DAS
38
9-89

140

QC5- Inspect part completeness to step on W/O

0.00

140

QC

Memo

0.00

Quality Control

DAS
38
9-89

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐	OTHER :							
Misidentified ☐	Past Due ☐								

Work Order ID 155242

Thursday, January 12, 2017 11:26:05 AM

155242

Page 3

Item ID: D3574-1

Accept

N900040100Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: Cabin Floor Protector

Start Date: 1/16/2017 Start Qty: 1.00 ***1***

Cust Item ID:

Required Date: 1/23/2017 Req'd Qty: 1.00 ***1***

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____

Tooling: _____ Date: _____

Run Start ***NR1***

QC: _____ Date: _____

SPC (Y/N): _____ Date: _____

Stop ***NR2***Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool #

Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

150

Identify as per dwg & Stock Location: 

0.00

150

Packaging

Memo

0.00

Packaging

JAN 19 2017

DAS
6
9-89

160

QC21- Final Inspection - Work Order Release

0.00

160

QC

Memo

0.02

Quality Control

DAS
21
9-89

JAN 23 2017

JAN 20 2017



DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval 		
Description Work Order Deviation				Disposition					
							Completed By		
							Lead hand / Supervisor Approval Verification		
							QC / QA Coordinator Approval		

Root Cause				FAULT CATEGORY			
Environment ☐	☐	No Re-verification	☐	Pressure/Forced	☐	Temperature/Cure	☐
Design ☐	☐	Operator	☐	Bending	☐	Set-up	☐
Doc/Data ☐	☐	Offset/Setup	☐	Centre Not Concentric	☐	BOM/Route	☐
Equip/Tooling ☐	☐	Supplier	☐	Cracks	☐	Broken/Damage/Defect	☐
Handling/Pre ☐	☐	Training	☐	Crimp/Kink/Ripple/Wave	☐	Inspection Incomplete/Unqualified	☐
Material ☐	☐	Use for Testing	☐	Cuffs	☐	Contamination	☐
Internal Transport ☐	☐	Poor Information	☐	Crushing	☐	Countersink	☐
Tribal Knowledge ☐	☐	Rushing	☐	Heat Treat	☐	Cut Too Short	☐
LOA ☐	☐	Product Improvement	☐	Wave/Twist in Tube	☐	Instructions Incomplete/Unclear	☐
Substation ☐	☐	Process Improvement	☐	Marks/Chatter	☐	Drill Holes	☐
Past Expiry Date ☐	☐	Manufacturing Process	☐	OTHER : _____			
Misidentified ☐	☐	Past Due	☐				

Picklist Print

Thursday, January 12, 2017 11:26:11 AM

Page 1
1

Work Order ID: 155242

155242

Parent Item: D3574-1

D3574-1

Parent Item Name: Cabin Floor Protector

Start Date: 1/16/2017

Required Date: 1/23/2017

Start Qty: 1.00

Required Qty: 1.00

Comments: IPP Rev :A New Issue 07-01-22 EC

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
MLEXS.125-F60029-04		Purchased	No				sf	3,190.770		25.35294			
									**			DAS 46 9-99	17/01/17
MI FXS 125-F60029-04													
GE PLASTICS LEXAN SHEET (DARK GREY)													

Location

MAT018

m136228

Loc Qty

3190.77

3190.77

Loc Code

22.2

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					

Root Cause				FAULT CATEGORY			
Environment ☐	☐	No Re-verification	☐	Pressure/Forced	☐	Temperature/Cure	☐
Design ☐	☐	Operator	☐	Bending	☐	Set-up	☐
Doc/Data ☐	☐	Offset/Setup	☐	Centre Not Concentric	☐	BOM/Route	☐
Equip/Tooling ☐	☐	Supplier	☐	Cracks	☐	Broken/Damage/Defect	☐
Handling/Pre ☐	☐	Training	☐	Crimp/Kink/Ripple/Wave	☐	Inspection Incomplete/Unqualified	☐
Material ☐	☐	Use for Testing	☐	Cuffs	☐	Contamination	☐
Internal Transport ☐	☐	Poor Information	☐	Crushing	☐	Countersink	☐
Tribal Knowledge ☐	☐	Rushing	☐	Heat Treat	☐	Cut Too Short	☐
LOA ☐	☐	Product Improvement	☐	Wave/Twist in Tube	☐	Instructions Incomplete/Unclear	☐
Substation ☐	☐	Process Improvement	☐	Marks/Chatter	☐	Drill Holes	☐
Past Expiry Date ☐	☐	Manufacturing Process	☐	OTHER : _____			
Misidentified ☐	☐	Past Due	☐				

DART AEROSPACE LTD		Work Order:	155242
Description: Cabin Floor Protector		Part Number:	D3574-1
Inspection Dwg: D3574	Rev: B	Page 1 of 2	

FIRST ARTICLE INSPECTION CHECKLIST

☒ First Article ☐ Prototype

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
Ø3.00	+0.006/-0.001	3.002	✓		Dc-01	
7.37	+/-0.030	7.37	✓		TAPE	
10.75	+/-0.030	10.75	✓			
11.00	+/-0.030	11.00	✓			
15.25	+/-0.030	15.25	✓			
25.87	+/-0.030	25.87	✓			
39.75	+/-0.030	39.75	✓			
44.75	+/-0.030	44.75	✓			
49.11	+/-0.030	49.11	✓			
51.11	+/-0.030	51.11	✓			
53.51	+/-0.030	53.51	✓			
63.50	+/-0.030	63.50	✓			
65.25	+/-0.030	65.25	✓			
10.75	+/-0.030	10.75	✓			
11.06	+/-0.030	11.06	✓			
14.75	+/-0.030	14.75	✓			
25.50	+/-0.030	25.50	✓			
25.75	+/-0.030	25.75	✓			
26.00	+/-0.030	26.00	✓			
32.87	+/-0.030	32.87	✓			
38.81	+/-0.030	38.81	✓			
44.75	+/-0.030	44.75	✓			
45.00	+/-0.030	45.00	✓			
48.25	+/-0.030	48.25	✓			
58.38	+/-0.030	58.38	✓			
61.25	+/-0.030	61.25	✓			
64.13	+/-0.030	64.13	✓			
64.63	+/-0.030	64.63	✓			
66.50	+/-0.030	66.50	✓			
7.50	+/-0.030	7.50	✓			
9.50	+/-0.030	9.50	✓			
10.38	+/-0.030	10.38	✓			
10.88	+/-0.030	10.88	✓			
14.50	+/-0.030	14.50	✓			

DART AEROSPACE LTD		Work Order: 155242
Description: Cabin Floor Protector		Part Number: D3574-1
Inspection Dwg: D3574	Rev: B	Page 2 of 2


FIRST ARTICLE INSPECTION CHECKLIST

☒ First Article ☐ Prototype

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
16.56	+/-0.030	16.56	✓		Decol	
18.75	+/-0.030	18.75	✓		tape	
24.13	+/-0.030	24.13	✓			
26.50	+/-0.030	26.50	✓			
30.50	+/-0.030	30.50	✓			
33.88	+/-0.030	33.88	✓			
39.50	+/-0.030	39.50	✓			
40.25	+/-0.030	40.25	✓			
43.50	+/-0.030	43.50	✓			
43.83	+/-0.030	43.83	✓			
46.60	+/-0.030	46.60	✓			
7.63	+/-0.030	7.63	✓			
11.00	+/-0.030	11.00	✓			
11.50	+/-0.030	11.50	✓			
16.75	+/-0.030	16.75	✓			
19.00	+/-0.030	19.00	✓			
22.50	+/-0.030	22.50	✓			
30.75	+/-0.030	30.75	✓			
32.63	+/-0.030	32.63	✓			
32.75	+/-0.030	32.75	✓			
35.13	+/-0.030	35.13	✓			
36.50	+/-0.030	36.50	✓			
40.00	+/-0.030	40.00	✓			
41.88	+/-0.030	41.88	✓			
43.63	+/-0.030	43.63	✓			
0.125	DAS 46 +/-0.010	0.125	✓			

Measured by: 9-89	Audited by: DAS 38	Prototype Approval: N/A
Date: 17/01/17	Date: JAN 19 2017	Date: N/A

Rev	Date	Change	Revised by	Approved
A	08.02.28	New Issue	KJ/DD	
B	08.07.31	47.75 dimension removed	KJ/DD	
C	09.05.15	Dimensions updated per Dwg Rev B	KJ	



D3574-1 CABIN FLOOR PROTECTOR

NOTES:

- 1) MATERIAL: F60029 GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE), 0.125 THICK, TEXTURED SIDE UP, (REF DART SPEC MLEXS.125-F60029-04)
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3574-1" AND B/N USING FINE POINT PERMANENT INK MARKER ON SMOOTH SIDE OF PART
- 7) WEIGHT: 14.30 lbs
- 8) CHECK PER TEMPLATE DT8961

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 155242 MLJ
17-01-12

RELEASED
09/03/25

B	ADD CUT-OUT TO -1/5 FOR WEIGHT AND BALANCE DATA PLATE ZN B7-1, B8-5; -2 NOW SHOWN ON SHEET 2	09.03.25
A	NEW ISSUE	CB 07.06.08
REV.	DESCRIPTION	BY DATE
DESIGN		
DRAWN		
CHECKED		
MFG. APPR.		
APPROVED		
DE APPR.		
DATE	09.03.25	

DART AEROSPACE LTD
HAWKESBURY, ONTARIO, CANADA

DRAWING NO. D3574
REV. B
SHEET 1 OF 6

TITLE
CABIN FLOOR PROTECTOR
SCALE
NTS

COPYRIGHT © 2007 BY DART AEROSPACE LTD
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.